



Portage Flat in Mercado

Portage Hat in Mercado



INTERMEDIATE

SIZE

Finished Circumference

About 16 in. (40 cm), unstretched

Finished Height

About 11 in. (27.5 cm), unstretched,
with brim unfolded

GAUGE

15 sts and 18 rows = 4 in. (10 cm) in St st
Cable A = 2½" wide

Be sure to check your gauge.

MATERIALS

- BERROCO MERCADO®
#4128 Cielo, 1 hank
- 16 in. (40 cm) circular needle, size 10
(6.00 mm) *or size to obtain gauge*
- 1 set double-pointed knitting
needles, size 10 (6.00 mm)
- Cable needle (cn)
- Tapestry needle
- Optional: Faux fur pompom

NOTES

1. Hat is worked in the round from the
bottom up to the crown.

2. Both written instructions and a
chart are provided.

SPECIAL ABBREVIATIONS

C4R: Slip 2 sts to cn and hold in BACK, k2, k2 from cn

C3R: Slip 1 st to cn and hold in BACK, k2, k1 from cn

C3L: Slip 2 sts to cn and hold in FRONT, k1, k2 from cn

T3R: Slip 1 st to cn and hold in BACK, k2, p1 from cn

T3L: Slip 2 sts to cn and hold in FRONT, p1, k2 from cn

PATTERN STITCHES

CABLE A

(Worked over 14 sts; follow these instructions or follow
chart.)

Rnd 1: P5, C4R, p5.

Rnd 2: P5, k4, p5.

Rnd 3: P4, C3R, C3L, p4.

Rnd 4: P4, k6, p4.

Rnd 5: P3, C3R, k2, C3L, p3.

Rnd 6: P3, k8, p3.

Rnd 7: P2, T3R, C4R, T3L, p2.

Rnd 8: P2, k2, p1, k4, p1, k2, p2.

Rnd 9: P1, T3R, p1, k4, p1, T3L, p1.

Rnd 10: P1, k2, p2, k4, p2, k2, p1.

Rep these 10 rounds for Cable A.

CABLE B

(Worked over 4 sts; follow these instructions or follow
chart.)

Rnd 1: C4R.

Rnds 2, 3, and 4: Knit 4.

Rep these 4 rounds for Cable B.

ABBREVIATIONS

cn = cable needle

dpns = double-pointed needles

k = knit

k2tog = knit 2 stitches together

M1 = Make 1; Pick up horizontal strand
between stitch just worked and next stitch
from front to back, place on left hand
needle, knit this stitch through the back

p = purl

p2tog = purl 2 stitches together

rep = repeat

rnd(s) = round(s)

St st = stockinette stitch

st(s) = stitches

WS = wrong side

Wrap and turn = method of concealing
a hole created in short row shaping. On
RS rows: With yarn held in front, slip next
stitch purlwise, then bring yarn between
needles to the back. Slip that same stitch
back to the left needle. Turn your work.

KNIT



The information on this instruction sheet is presented in good faith and without warranty. Results are not guaranteed.



HAT

With circular needle, cast on 76 sts. Place marker and join for working in the round.

Set Up Rib: Rnd 1: * K1tbl, p1; rep from * around.

Rep this round until piece measures 6" from beg.

Inc Rnd: * Work 5 sts in ribbing, M1; rep from * to last 6 sts, work 6 sts in ribbing—90 sts. Wrap next st and turn, so that what was the WS is now facing. (This makes it so the RS of the twisted rib will be showing when the brim is turned up.)

Set-Up Rnd: * P5, k4; rep from * around.

Establish Cable Patterns: Next Rnd: Working from charts or written instructions above, * work Rnd 1 of Cable A over 14 sts, work Rnd 1 of Cable B over 4 sts; rep from * 4 times more. Work even, following charts as established until Rnds 1–10 of Cable A have been worked twice and Rnds 1–4 of Cable B chart has been worked 5 times (20 rnds total), end on last round of both charts.

Note: As you decrease for crown, when there are too few sts to fit comfortably on circular needle, change to dpns, dividing sts onto 3 needles.

Shape Crown: Dec Rnd 1: * P3, p2tog, C4R; rep from * around—80 sts.

Next Rnd: * P4, k4; rep from * around.

Dec Rnd 2: * P2, p2tog, k4; rep from * around—70 sts.

Next Rnd: * P3, k4; rep from * around.

Dec Rnd 3: * P1, p2tog, C4R; rep from * around—60 sts.

Next Rnd: * P2, k4; rep from * around.

Dec Rnd 4: * P2tog, k4; rep from * around—50 sts.

Next Rnd: * P1, k4; rep from * around.

Dec Rnd 5: * P1, slip 2 sts to cn and hold in BACK, k2, k2tog from cn; rep from * around—40 sts.

Next Rnd: * P1, k3; rep from * around.

Dec Rnd 6: * P1, k2tog, k1; rep from * around—30 sts.

Next Rnd: * P1, k2; rep from * around.

Dec Rnd 7: * P1, k2tog; rep from * around—20 sts.

Dec Rnd 8: * K2tog; rep from * around—10 sts.

Break off yarn, leaving an 8" long end. Thread end into tapestry needle and draw through all sts on needles. Pull up tightly and secure, then fasten off.

FINISHING

Weave in all ends and block as desired.

Optional: Attach faux fur pompom.

CABLE A




CHART KEY

□ knit

● purl

 C3R: sl 1 to cn and hold to BACK, k2, k1 from cn

 C3L: sl 2 to cn and hold to FRONT, k1, k2 from cn

 T3L: sl 2 to cn and hold to FRONT, p1, k2 from cn


 T3R: sl 1 to cn and hold to BACK, k2, p1 from cn

 C4R: sl 2 to cn and hold to BACK, k2, k2 from cn

CHART NOTES

Work from right to left on every rnd.

CABLE B



KNIT

